

Work Order ID 128650

Wednesday, January 21, 2015 7:14:53 AM

128650

Page 1

Item ID: D350-602-013

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Heli-Utility-Pod™ LH

Start Date: 1/21/2015 Start Qty: 1.00

1

Cust Item ID:

Required Date: 1/21/2015 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: *MLJ*Date: *15-01-21* Tooling:

Date:

Run Start ***NR1***

QC:

Date: SPC (Y/N):

Date:

Stop ***NR2***

Sequence iD/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D2202

G

D2694

I

DSI 9515

B

100

Document Control

0.00

100

DOCUMENT CONTROL

DC

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy bluefile & type labels per PPP D350-602-013 CHG002

DAS

46

9-82

APR 08 2015

140

Small Fab

0.00

140

Small Fab

Memo

0.00

Small Fab

1-Assemble as per Dwg D2694

2-Install label D2258-160 on Pod Assembly as per Dwg D2694 at location of
max pod load label on pg2 of dwg*47**15-04-07*

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

128650

Wednesday, January 21, 2015 7:14:54 AM

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 1/21/2015 **Start Qty:** 1.00 ***1***

Cust Item ID:

Required Date: 1/21/2015 **Req'd Qty:** 1.00 *** 1 ***

Customer:

Reference:

Run Start *NR1*

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Stop *NR2*

QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

[illegible]

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Crosstube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Work Order ID 128650***128650***

Page 3

Wednesday, January 21, 2015 7:14:54 AM

Item ID: D350-602-013

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Heli-Utility-Pod™ LH

Start Date: 1/21/2015 Start Qty: 1.00

1

Cust Item ID:

Required Date: 1/21/2015 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: Date: Tooling: Date:

Run Start ***NR1***

QC: Date: SPC (Y/N): Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180	Packaging	0.00							
180									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D350-602-013								
	Location: _____								
	PPP Rev: _____								
190	QC21- Final Inspection - Work Order Release	0.00							
190									
QC	Memo	0.00							
Quality Control									

APR 02 2015

DAS
68
9-89
DAS
46
9-89

MLJ 15-4-08

MMF
15-4-8

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Wednesday, January 21, 2015 7:15:00 AM

Page 1

Work Order ID: 128650

128650

Parent Item: D350-602-013

D350-602-013

Parent Item Name: Heli-Utility-Pod™ LH

Start Date: 1/21/2015

Required Date: 1/21/2015

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A New Issue 06-05-01 JLM IPP Rev:B Added D3495-1 06-05-17
JLM IPP RevC: add route seq DD 10.01.07 verified
by:EC IPP REV:D AS PER ECN 10-558 JLM 10-04-27
VERIFIED BY:DD
IPP Rev:C 09-02-03 update dwg rev's DD verified by:EC IPP Rev:D
add D2202-1 and D2202-5 DD 10.04.07 verified:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2324 *D2324* Strut Assy	DAS 46 9-89	Manufactured	No				Each	16.0000	**	1		DAS 08 9-89	IT

Location	Loc Qty	Loc Code
ST367	16	
105350	6	
120341	10	

D3322-041 *D3322-041* Pod Assembly	DAS 46 9-89	Manufactured	No				Each	0.0000	**	1			
D4091-1 *D4091-1* Mounting Lug	DAS 46 9-89	Manufactured	No			128651	Each	0.0000	**	4		15-03-32	
D3910-3 *D3910-3* X-Tube Lug	DAS 46 9-89	Manufactured	No				Each	123.0000	**	4		128425	DAS 08 9-89

Location	Loc Qty	Loc Code
ST524	48	
110324	36	
114442	12	
ST525A	75	
117781	75	

DAS
08
9-89
APR 08 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Wednesday, January 21, 2015 7:15:00 AM

Work Order ID: 128650

128650

Parent Item: D350-602-013

D350-602-013

Parent Item Name: Heli-Utility-Pod™ LH

Start Date: 1/21/2015

Required Date: 1/21/2015

Start Qty: 1.00

Required Qty: 1.00

D2258-160

Manufactured No

Each

9.0000

1

D2258-160

Placard

DAS
46
9-89

**

15-04-03

Location

Loc Qty

Loc Code

ST005

9

110345

9

71

D2523

Manufactured No

Each

8.0000

2

D2523

Mounting Bracket

DAS
46
9-89

**

DAS
66
9-89

Location

Loc Qty

Loc Code

ST445

8

113708

8

2

D2524

Manufactured No

Each

4.0000

2

D2524

Bracket Clamping

DAS
46
9-89

**

DAS
66
9-89

Location

Loc Qty

Loc Code

ST007

4

125390

4

2

D3495-1

Manufactured No

Each

1.0000

1

D3495-1

Placard

DAS
46
9-89

**

129989

DAS
66
9-89

Location

Loc Qty

Loc Code

ST046

1

55564

1

APR 08 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Wednesday, January 21, 2015 7:15:00 AM

Work Order ID: 128650

128650

Parent Item: D350-602-013

D350-602-013

Parent Item Name: Heli-Utility-Pod™ LH

Start Date: 1/21/2015

Required Date: 1/21/2015

Start Qty: 1.00

Required Qty: 1.00

D3984

Manufactured No

f

82.0000

2

D3984

DAS
46

Rubber Extrusion, X-Tube, Per Foot

**

128295

DAS
06
9-89

Location

Loc Qty

Loc Code

ST413

82

115196

82

CUT 8 AT 3.00"

AN3-7A

Purchased No

Each

90.0000

4

AN3-7A

DAS
46
9-89

Bolt

**

131420

DAS
06
9-89

Location

Loc Qty

Loc Code

ST349

90

M122913

5

M124901

5

M129706

80

AN3-15A

Purchased No

Each

44.0000

8

AN3-15A

DAS
46
9-89

Bolt

**

131720

DAS
06
9-89

Location

Loc Qty

Loc Code

FG

10

114941

10

ST348

34

M128429

34

AN4-12A

Purchased No

Each

94.0000

1

AN4-12A

DAS
46
9-89

Bolt

**

131803

DAS
06
9-89

Location

Loc Qty

Loc Code

FG

10

120423

10

ST344

84

M129384

84

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Wednesday, January 21, 2015 7:15:01 AM

Work Order ID: 128650

128650

Parent Item: D350-602-013

D350-602-013

Parent Item Name: Heli-Utility-Pod™ LH

Start Date: 1/21/2015

Required Date: 1/21/2015

Start Qty: 1.00

Required Qty: 1.00

AN4-14A

Purchased

No

Each

416.0000

16

AN4-14A
Bolt

DAS
46
9-89

**

131677

DAS
CS
9-89

4e

Location

Loc Qty

Loc Code

FG

5

122141

5

ST325A

300

M131153

300

ST344

111

14600

1

M130716

110

AN4-16A

Purchased

No

Each

131.0000

4

AN4-16A
Bolt

DAS
46
9-89

**

131800

DAS
CS
9-89

FT

Location

Loc Qty

Loc Code

FG

5

121541

5

ST343

126

M131139

126

APR 8 8 2015

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design ☐									
Doc/Data ☐									
Equip/Tooling ☐									
Handling/Pre ☐									
Material ☐									
Operator ☐									
Offset/Setup ☐									
Process ☐									
Supplier ☐									
Training ☐									
Transport ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Wednesday, January 21, 2015 7:15:01 AM

Work Order ID: 128650

Parent Item: D350-602-013

Parent Item Name: Heli-Utility-Pod™ LH

128650

D350-602-013

Start Date: 1/21/2015

Required Date: 1/21/2015

Start Qty: 1.00

Required Qty: 1.00

NAS1149D0363J

Purchased

No

Each

1,665.000

24

NAS1149D0363.I DAS
Washer 46

9-89

**

131618

DAS
08
9-89

Location

Loc Qty

Loc Code

CA

673

m130799

673

FP001

147

m126319

147

GA

778

m128429

778

ST269

67

122378

15

m126319

52

NAS1149D0463J

Purchased

No

Each

5,134.000

42

NAS1149D0463.I DAS
WASHER 46

9-89

**

131624

APR 08 2015

DAS
08
9-89

Location

Loc Qty

Loc Code

CA

397

M129682

397

GA

408

M129390

408

ST260a

1167

16941

14

M129390

1153

ST269

3162

M129390

12

M130799

3150

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

Wednesday, January 21, 2015 7:15:01 AM

Work Order ID: 128650

128650

Parent Item: D350-602-013

D350-602-013

Parent Item Name: Heli-Utility-Pod™ LH

Start Date: 1/21/2015

Required Date: 1/21/2015

Start Qty: 1.00

Required Qty: 1.00

MS21042L3

Purchased

No

Each

2,938.000

12

MS21042I 3

**

DAS

06

9-89

Nut

DAS

46

9-89

Location

Loc Qty

Loc Code

FP001

420

M130922

420

ST305

2515

M130799

11

M131264

1504

M131317

1000

ST307

3

123900

3

MS21042L4

Purchased

No

Each

3,080.000

21

MS21042I 4

**

DAS

06

9-89

Locknut

DAS

46

9-89

Location

Loc Qty

Loc Code

FP001

42

m124231

42

GA

704

m127813

704

ST260a

1793

m130799

1793

ST305

541

15924

8

426

426

m128300

8

m130922

99

m131803

APR 08 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

NOTES:**1) MATERIALS:**

RESIN: EPOCAST 50-A/9816,
OR DERAKANE 470-36/411/510A40

FOAM: A500 CORE CELL,
OR DIVINYCELL,
OR AIREX,
0.38 THICK (3/8 FOAM)

FIBRE: 9.7 oz 7781 WEAVE "S" GLASS (9 oz SATIN)
5 oz PLAIN WEAVE KEVLAR (5 oz KEVLAR)

- 2) FINISH: INSIDE = PRIME PER DART QSI 005 4.2
OUTSIDE = WHITE GELCOAT #GEL 944W005
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A
- 8) LAMINATE PER DART QSI 006.
LAMINATION SCHEDULE PER THIS DRAWING.
- 9) PEEL PLY ALL SURFACES.


SHOW
KIT
UNCOVER
SPOOK
W
NO. 1.28-650 MLS
1501-21

RELEASED
2010-10-28


G	REFORMAT DRAWING TO CURRENT STANDARDS; D2202-101 WAS D2202-1 (ZN C5-2, A4-2); ADD 77.5 & 22.0 DIM. (ZN D4-3, C6-3); D2202-103 WAS D2202-5 (ZN C5-3, A4-3); ADD 2.00 MAX (ZN D3-4); INCORPORATED DEO 9217 & ADD D2202-5/-6 ON SHEET 5 PER PAR 09-034	RF	09.10.06
F	CHANGE LAYUP, DOUBLER, NOW DRILLED	CP	01.03.14
E	ADDED SECTIONS WITH LIP DIMS	KE	99.11.11
D	MOVED DOUBLERS, REMOVED HOLES	KE	98.11.09
C	REVISED DOUBLER/HOLES LOCATIONS	KE	97.07.04
B	ADD DOUBLERS AND HOLES	-	93.10.27
A	NEW ISSUE	-	93.10.27
REV.	DESCRIPTION	BY	DATE
DESIGN	KE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	JP	DRAWING NO.	REV. G
MFG. APPR.	JM	D2202	SHEET 1 OF 5
APPROVED	JP	TITLE	SCALE
DE APPR.	JP	UTILITY POD LID AND BASE	NTS
DATE	09.10.06	COPYRIGHT © 1993 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

SEE
DETAIL B
A6-2


SECTION A-A C3-2



G
D2202-101 FOAM CORE,
MAKE FROM 3/8" FOAM, ROUTER PER DT8024



D2202-1 LID
(MOLD DT8002)



DETAIL B
SCALE 10X D6-2

MAIN LAYUP

9oz SATIN
9oz SATIN
5oz KEVLAR
D2202-101 FOAM CORE
5oz KEVLAR
9oz SATIN




RELEASED
2010-10-28

DESIGN	KE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>JP</i>	DRAWING NO.	REV. G
MFG. APPR.	JM	D2202	SHEET 2 OF 5
APPROVED	<i>JP</i>	TITLE	SCALE
DE APPR.	<i>JP</i>	UTILITY POD LID AND BASE	NTS
DATE	09.10.06	COPYRIGHT © 1993 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



SEE
DETAIL D
B7-3

SECTION C-C C4-3

ENSURE THIS
EDGE IS STRAIGHT
WITHIN 0.060"
AFTER TRIMMING



DETAIL D
SCALE 10X
D7-3




D2202-3 BASE
(MOLD DT8002)

MAIN LAYUP


9oz SATIN
9oz SATIN
5oz KEVLAR
D2202-103 FOAM CORE
5oz KEVLAR
5oz KEVLAR
9oz SATIN

RELEASED
2010-10-28

DESIGN	KE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	97	DRAWING NO.	REV. G
MFG. APPR.	JM	D2202	SHEET 3 OF 5
APPROVED	142	TITLE	SCALE
DE APPR.	14	UTILITY POD LID AND BASE	NTS
DATE	09.10.06	COPYRIGHT © 1993 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



DETAIL E: INSTALLATION OF D3001-1 DOUBLERS C3-3



**DETAIL F: HOLE DRILLING
(AFTER DOUBLER INSTALLATION)** C3-3

RELEASED
2010-10-28


DESIGN	KE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>JP</i>	DRAWING NO.	REV. G
MFG. APPR.	JM	D2202	SHEET 4 OF 5
APPROVED	<i>JP</i>	TITLE	SCALE
DE APPR.	<i>JP</i>	UTILITY POD LID AND BASE	NTS
DATE	09.10.06	COPYRIGHT © 1993 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMERCE TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

NOTES : TO MAKE A D2202-5-6 BASE (FOR D350-602-013-014) FROM A D2202-3 BASE


- 1) REMOVE FOAM IN AREA OF POD BASE WHERE D3048-1 DOUBLER WILL BE INSTALLED
- 2) FILL GAPS WITH 9oz SATIN AND RESIN PER DWG (APPROX. 3-4 LAYERS)
- 3) 2 LAYERS OF 9oz SATIN
- 4) BOND D3048-1 DOUBLER IN ORIENTATION SHOWN AND LET CURE
- 5) TRANSFER Ø0.125 HOLES FROM D3048-1 TO POD BASE. INSTALL DOUBLER WITH AD64ABS RIVETS (42) AND AD66ABS (2)
- 6) TRANSFER Ø0.191 HOLES FROM POD BASE TO D3048-1. SEAL HOLES WITH CYANOACRYLATE GLUE
- 7) TOUCH UP AFFECTED AREA WITH GREY PRIMER PER DWG
- 8) FILL CENTER OF THE AD RIVETS WITH RTV 732 TO SEAL

PART LIST:

QTY -5	QTY -6	PART NUMBER	DESCRIPTION
X		D2202-5	POD BASE
	X	D2202-6	POD BASE
1	1	D2202-3	BASE
1	1	D3048-1	DOUBLER
42	42	AD64ABS	RIVET
2	2	AD66ABS	RIVET
A/R	A/R	RTV	SEALANT



D2202-5 BASE: D3048-1 DOUBLER INSTALLATION
(MAKE FROM D2202-3 BASE)



D2202-6 BASE: D3048-1 DOUBLER INSTALLATION
(MAKE FROM D2202-3 BASE)

RELEASED
2010-10-28

DESIGN	KE	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	JP	DRAWING NO.	REV. G
MFG. APPR.	JM	D2202	SHEET 5 OF 5
APPROVED	JP	TITLE	SCALE
DE APPR.	JP	UTILITY POD LID AND BASE	NTS
DATE	09.10.06	COPYRIGHT © 1993 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


Qty	Part Number	Description
X	D2694	UTILITY POD ASSEMBLY
1	D2202-1	POD LID
1	D2202-3	POD BASE
5	D2204-9	LATCH
1	D2429-041	SPRING CLIP ASSEMBLY
1	D2461-1700	NEOPRENE SEAL
5	D2528-1	BACKER PLATE
4	D2528-3	BACKER PLATE
1	D2569	HINGE
1	D3007-041	PROP ASSEMBLY
19	AN4-5A	BOLT
1	AN4-6A	BOLT
2	AN526C632R7	SCREW
21	AN960JD416	WASHER
2	AN960JD6	WASHER
2	MS21042L06	NUT (OR MS21042-06)
20	MS21042L4	NUT (OR MS21042-4)
38	AD62ABS	RIVET

GENERAL NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: PRIME AND PAINT PER QSI 005 4.2 TO MATCH ORIGINAL FINISH
AS REQ'D TO TOUCH UP FINISH AFTER DRILLING OR ASSEMBLY
INSIDE: DUPONT HIGHBUILD PRIMER GREY 1144-S
OR DUPONT 2K-URETHANE PRIMER GREY 7704-S
OUTSIDE: DUPONT IMRON POLYURETHANE ENAMEL BASE WHITE (555U)
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 48.5 lbs
- 8) TRANSFER DRILL UNSPECIFIED HOLES FROM ATTACHING PART AS FOLLOWS:
AN526C632 → DRILL Ø0.141
AN4 → DRILL Ø0.257
- 9) SEAL ALL HOLES AND EDGES OF POD WITH CYANOACRYLATE GLUE
- 10) FOR D2569 HINGE:
 - (i) INSTALL RIVET HEADS FROM OUTSIDE OF POD
 - (ii) GRIND TRAILING EDGE OF RIVET TO PERMIT HINGE TO CLOSE
 - (iii) ENSURE ALL RIVET HOLES ARE DRILLED ON THE LARGER HINGE TABS AS SHOWN IN DETAIL A

RELEASED
2010-04-29

I	REFORMAT, D2204-9 LOC SPEC'D (B2-4,B6-4,C2-4,C6-4, B6-5,C6-5), D2461-X WAS D2462-X (D5-1,B1-2), ADD FINISH (B5-1)	CP	10.04.20
H	CHANGED RIVETS FROM AD64ABS TO AD62ABS (PAR#185)	DC	07.07.18
G	REVERT BACK TO D2204-9 LATCH	CP	01.05.08
F	REDESIGN, CHANGE LATCHES & PROP	CP	01.03.20
E	CHANGE DIMENSIONS	RF	99.12.20
D	SEAL & HINGE CHANGE (TSR A1047 & A855/A858); INCLUDED DE09119	CP	99.01.08
C	ADD DOUBLER HOLES, REMOVE FINISH	KE	98.11.12
B	CHANGE RIVET PATTERN, ADD D2429	KE	97.10.08
A	NEW ISSUE CREATED TO REPLACE D350-602-041 AND -043	KE	97.07.02
REV.	DESCRIPTION	BY	DATE
DESIGN	JB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JP		
CHECKED		DRAWING NO.	REV. I
MFG. APPR.		D2694	SHEET 1 OF 5
APPROVED		TITLE	SCALE
DE APPR.		UTILITY POD ASSEMBLY	NTS
DATE	10.04.20	COPYRIGHT © 1997 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




8 7 6 5 4 3 2 1

D

C

B

A




DETAIL A: HINGE
NOT TO SCALE

10
C7-2

D2429-041
SPRING CLIP ASS'Y

AN526C632R7 SCREW.
AN960JD6 WASHER
MS21042L06 NUT,
2 PL SHOWN

8



SECTION B-B
NOT TO SCALE

C5-2

RELEASED
2010-04-29
MP

DESIGN	JB	DART AEROSPACE LTD	
DRAWN	JP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	JP	DRAWING NO.	REV. I
MFG. APPR.	JP	D2694	SHEET 3 OF 5
APPROVED	JP	TITLE	SCALE
DE APPR.	JP	UTILITY POD ASSEMBLY	NTS
DATE	10.04.20	COPYRIGHT © 1997 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1


8 7 6 5 4 3 2 1

D


C

B

A



SECTION C-C
SCALE 10X
C3-2, C5-2




SECTION D-D
SCALE 10X
C6-2

RELEASED
2010-04-29
MP


DESIGN	JB	DART AEROSPACE LTD	
DRAWN	<i>JP</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO. D2694	REV. 1 SHEET 4 OF 5
MFG. APPR.	<i>[Signature]</i>	TITLE	SCALE
APPROVED	<i>[Signature]</i>	UTILITY POD ASSEMBLY	NTS
DE APPR.	<i>[Signature]</i>	COPYRIGHT © 1997 BY DART AEROSPACE LTD	
DATE	10.04.20	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1



SECTION E-E C4-2
SCALE 10X



SECTION F-F B5-5
D3007-041 PROP ASS'Y DETAIL
SECTION ROTATED 85° CW

RELEASED
2010-04-29
MP

DESIGN	JB	DART AEROSPACE LTD	
DRAWN	JP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	AS	DRAWING NO.	REV. 1
MFG. APPR.	MS	D2694	SHEET 5 OF 5
APPROVED	MS	TITLE	SCALE
DE APPR.	MS	UTILITY POD ASSEMBLY	NTS
DATE	10.04.20	COPYRIGHT © 1987 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-602 REV E (OR EARLIER REV.)
AND INSTRUCTIONS FOR CONTINUOUS AIRWORTHINESS ICA-D350-602 REV. 0

REF. TCCA STC: SH93-97
REF. FAA STC: SR01144NY
REF. EASA STC: EASA.IM.R.S.01290

PURPOSE

Dart Heli-Utility-Pods D350-602-011 @ CHG 006 and D350-602-013/-014 @ CHG 002 have new attachment lugs.

CHANGE

The D2230-1/-3 clamps are replaced with wider D4091-1/D3910-3 lugs. The abrasion strip is replaced with D3984-030 rubber extrusion. The D2462-1700 Neoprene Seal is replaced with D2461-1700 Neoprene 'D' Seal. The modified parts list for Installation Instruction D350-602 and Instructions for Continued Airworthiness ICA-D350-602 is shown on sheet 2 of this service instruction. Install the lugs as shown in Figure 1 & 2 of this service instruction. The pod should otherwise be installed per D350-602 and maintained per ICA-D350-602.

The weight and balance for Dart Heli-Utility-Pods D350-602-011 @ CHG 006 and D350-602-013/-014 @ CHG 002 (or later) are updated as follows:

5.0 WEIGHT AND BALANCE (D350-602 Rev. E)

25.6 WEIGHT AND BALANCE (ICA-D350-602 Rev. 0)

The following weight and balance information is for the Dart *Heli-Utility-Pod™*. The weight and balance of any parts that are removed from the aircraft to perform this installation or equipment installed/stowed in the pods are the responsibility of the installer.

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D350-602-011 @ CHG 006 <i>Heli-Utility-Pod™</i> LH or RH	61.2 lb 27.8 kg	±51.0 in ±1.29 m	±3121 in-lb ±35.9 m-kG	135 in 3.43 m	8262 in-lb 95.4 m-kG
D350-602-013 @ CHG 002 <i>Heli-Utility-Pod™</i> LH	61.2 lb 27.8 kg	-51.0 in -1.29 m	-3121 in-lb -35.9 m-kG	135 in 3.43 m	6872 in-lb 79.2 m-kG
D350-602-014 @ CHG 002 <i>Heli-Utility-Pod™</i> RH	61.2 lb 27.8 kg	+51.0 in +1.29 m	+3121 in-lb +35.9 m-kG	135 in 3.43 m	6872 in-lb 79.2 m-kG

LUG UPGRADE KIT

The Dart DSI-9515-011 kit is available to upgrade D350-602-XXX Heli-Utility-Pods made to earlier change numbers with D4091-1 / D3910-3 lugs. The lugs should be installed per Figure 1 & 2 of this service instruction.

QTY	Part Number	Description
-011		
X	DSI-9515-011	LUG UPGRADE KIT
4	D4091-1	LUG
4	D3910-3	LUG
8	D3984-030	RUBBER EXTRUSION
16	AN4-14A	BOLT
32	AN960JD416	WASHER (OR NAS1149DO463J)
16	MS21042L4	NUT (OR MS21042-4)

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 10.04.23
CERT. NO.: SH93-97
ISSUE NO.: 4

B	NAS1149DO463J WAS xDN432J & CHG QTY	CP	10.04.23
A	NEW ISSUE	CP	10.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. B
MFG. APPR.	N/A	DSI 9515	SHEET 1 OF 4
APPROVED		TITLE	SCALE
DE APPR.		LUG MODIFICATION	NTS
DATE	10.04.23	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

6.0 PART LIST (D350-602 Rev. E)
25.7 PARTS LIST (ICA-D350-602 Rev. 0)

Qty D350-602 -011	Qty D350-602 -013	Qty D350-602 -014	Qty DSI9052 -013	Part Number	Description
X				D350-602-011	HELI-UTILITY-POD™ (FITS BOTH LH/ RH)
	X			D350-602-013	HELI-UTILITY-POD™, LH
		X		D350-602-014	HELI-UTILITY-POD™, RH
			X	DSI9052-013	QUICK RELEASE KIT
1				D2694	POD ASSEMBLY (LH OR RH)
	1			D3322-041	POD ASSEMBLY (LH)
		1		D3322-042	POD ASSEMBLY (RH)
1	1	1		*D2202-1	POD LID
1				*D2202-3	POD BASE
	1	1		*D2202-5	POD BASE
5	5	5		*D2204-9	LATCH
1	1	1		*D2429-041	SPRING CLIP ASSEMBLY
1	1	1		*D2461-1700	NEOPRENE 'D' SEAL
5	5	5		*D2528-1	BACKER PLATE
4	4	4		*D2528-3	BACKER PLATE
1	1	1		*D2569	HINGE
1	1	1		*D3007-041	PROP ASSEMBLY
1	1	1		** D2012-107	CLEVIS
2	2	2		** D2022-101	SPACER
1	1	1		** D2705	SUPPORT BRACKET
1	1	1		** D3007-1	STRUT
1	1	1		** D3015-3	LOCKNUT
1	1	1		** AN4-10A	BOLT
1	1	1		** AN960JD416	WASHER
1	1	1		** MS21042L4	NUT (OR MS21042-4)
1	1	1		** SL69-BS	BALL STUD
1	1	1		** AN960JD516	WASHER
19	19	19		AN4-5A	BOLT
1	1	1		AN4-6A	BOLT
2	2	2		AN526C632R7	SCREW
21	21	21		AN960JD416	WASHER
2	2	2		AN960JD6	WASHER
2	2	2		MS21042L06	NUT (OR MS21042-06)
20	20	20		MS21042L4	NUT (OR MS21042-4)
4	4	4		D4091-1	LUG
4	4	4		D3910-3	LUG
1	1	1		D2258-160	LABEL
1	1	1		D2324-1	STRUT ASSEMBLY
2	2	2		D2523	MOUNTING BRACKET
2	2	2		D2524	SIDE PLATE
1	1	1		D3495-1	PLACARD
8	8	8		D3984-030	RUBBER EXTRUSION
4	4	4		AN3-7A	BOLT
8	8	8		AN3-15A	BOLT
1	1	1		AN4-12A	BOLT
16	16	16		AN4-14A	BOLT
4	4	4		AN4-16A	BOLT
24	24	24		AN960JD10	WASHER
42	42	42		AN960JD416	WASHER
12	12	12		MS21042L3	NUT (OR MS21042-3)
21	21	21		MS21042L4	NUT (OR MS21042-4)
			1	BLRS-010	QUICK RELEASE PIN (1" GRIP)
			3	BLRS-020	QUICK RELEASE PIN (1.5" GRIP)

* INCLUDED IN D2694 OR D3322-041/-042 POD ASSEMBLIES LISTED ABOVE

** INCLUDED IN D3007-041 PROP ASSEMBLY LISTED ABOVE


CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: [Signature]
D. SHEPHERD (DE # 02)

DATE: 10.04.23
CERT. NO.: SH93-97
ISSUE NO.: 4

DESIGN	<u>99</u>	DART AEROSPACE LTD	
DRAWN	<u>99</u>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<u>1</u>	DRAWING NO.	REV. B
MFG. APPR.	<u>N/A</u>	DSI 9515	SHEET 2 OF 4
APPROVED	<u>[Signature]</u>	TITLE	SCALE
DE APPR.	<u>[Signature]</u>	LUG MODIFICATION	NTS
DATE	10.04.23	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



SECTION X-X
NOT TO SCALE





FIGURE 1: Aft Crosstube Attachment
(Installation of D4091-1 / D3910-3 Lugs)

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: *[Signature]*
D. SHEPHERD (DE # 02)

DATE: 10.04.23
CERT. NO.: SH93-97
ISSUE NO.: 4

DESIGN	<i>qp</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>qp</i>		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	N/A	DSI 9515	SHEET 3 OF 4
APPROVED	<i>AND</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	LUG MODIFICATION	NTS
DATE	10.04.23	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



SECTION X-X
NOT TO SCALE




FIGURE 2: Fwd Crosstube Attachment
(Installation of D4091-1 / D3910-3 Lugs)

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: *[Signature]*
D. SHEPHERD (DE # 02)

DATE: 10.04.23
CERT. NO.: SH93-97
ISSUE NO.: 4

DESIGN	92	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	92		
CHECKED		DRAWING NO.	REV. B
MFG. APPR.	N/A	DSI 9515	SHEET 4 OF 4
APPROVED		TITLE	SCALE
DE APPR.		LUG MODIFICATION	NTS
DATE	10.04.23	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-602 REV E (OR EARLIER REV.)
AND INSTRUCTIONS FOR CONTINUOUS AIRWORTHINESS ICA-D350-602 REV. 0

REF. TCCA STC: SH93-97

REF. FAA STC: SR01144NY

REF. EASA STC: EASA.IM.R.S.01290

PURPOSE

Dart Heli-Utility-Pods D350-602-011 @ CHG 006 and D350-602-013/-014 @ CHG 002 have new attachment lugs.

CHANGE

The D2230-1/-3 clamps are replaced with wider D4091-1/D3910-3 lugs. The abrasion strip is replaced with D3984-030 rubber extrusion. The D2462-1700 Neoprene Seal is replaced with D2461-1700 Neoprene 'D' Seal. The modified parts list for Installation Instruction D350-602 and Instructions for Continued Airworthiness ICA-D350-602 is shown on sheet 2 of this service instruction. Install the lugs as shown in Figure 1 & 2 of this service instruction. The pod should otherwise be installed per D350-602 and maintained per ICA-D350-602.

The weight and balance for Dart Heli-Utility-Pods D350-602-011 @ CHG 006 and D350-602-013/-014 @ CHG 002 (or later) are updated as follows:

5.0 WEIGHT AND BALANCE (D350-602 Rev. E)**25.6 WEIGHT AND BALANCE (ICA-D350-602 Rev. 0)**

The following weight and balance information is for the Dart *Heli-Utility-Pod™*. The weight and balance of any parts that are removed from the aircraft to perform this installation or equipment installed/stowed in the pods are the responsibility of the installer.

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D350-602-011 @ CHG 006	61.2 lb	±51.0 in	±3121 in-lb	135 in	8262 in-lb
Heli-Utility-Pod™ LH or RH	27.8 kg	±1.29 m	±35.9 m-kG	3.43 m	95.4 m-kG
D350-602-013 @ CHG 002	61.2 lb	-51.0 in	-3121 in-lb	135 in	6872 in-lb
Heli-Utility-Pod™ LH	27.8 kg	-1.29 m	-35.9 m-kG	3.43 m	79.2 m-kG
D350-602-014 @ CHG 002	61.2 lb	+51.0 in	+3121 in-lb	135 in	6872 in-lb
Heli-Utility-Pod™ RH	27.8 kg	+1.29 m	+35.9 m-kG	3.43 m	79.2 m-kG

LUG UPGRADE KIT

The Dart DSI-9515-011 kit is available to upgrade D350-602-XXX Heli-Utility-Pods made to earlier change numbers with D4091-1 / D3910-3 lugs. The lugs should be installed per Figure 1 & 2 of this service instruction.

QTY -011	Part Number	Description
X	DSI-9515-011	LUG UPGRADE KIT
4	D4091-1	LUG
4	D3910-3	LUG
8	D3984-030	RUBBER EXTRUSION
16	AN4-14A	BOLT
32	AN960JD416	WASHER (OR NAS1149DO463J)
16	MS21042L4	NUT (OR MS21042-4)

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY:

D. SHEPHERD (DE # 02)

DATE: 10.04.23

CERT. NO.: SH93-97

ISSUE NO.: 4

B	NAS1149DO463J WAS xDN432J & CHG QTY	CP	10.04.23
A	NEW ISSUE	CP	10.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		DSI 9515	SHEET 1 OF 4
APPROVED		TITLE	SCALE
DE APPR.		LUG MODIFICATION	NTS
DATE	10.04.23	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

REFERENCE ONLY

DART AEROSPACE LTD.

APR 08 2015

DAS
46
9-89

D350-602
Page 12 of 12

6.0 PARTS LIST

Qty D350-602 -011	Qty D350-602 -013	Qty D350-602 -014	Qty DSI9052 -013	Part Number	Description
X				D350-602-011	HELI-UTILITY-POD™ (FITS BOTH LH/ RH)
	X			D350-602-013	HELI-UTILITY-POD™, LH
		X		D350-602-014	HELI-UTILITY-POD™, RH
			X	DSI9052-013	QUICK RELEASE KIT
1				D2694	POD ASSEMBLY (LH OR RH)
	1			D3322-041	POD ASSEMBLY (LH)
		1		D3322-042	POD ASSEMBLY (RH)
1	1	1		*D2202-1	POD LID
1				*D2202-3	POD BASE
	1	1		*D2202-5	POD BASE
5	5	5		*D2204-9	LATCH
1	1	1		*D2429-041	SPRING CLIP ASSEMBLY
1	1	1		*D2462-1700	NEOPRENE SEAL
5	5	5		*D2528-1	BACKER PLATE
4	4	4		*D2528-3	BACKER PLATE
1	1	1		*D2569	HINGE
1	1	1		*D3007-041	PROP ASSEMBLY
1	1	1		** D2012-107	CLEVIS
2	2	2		** D2022-101	SPACER
1	1	1		** D2705	SUPPORT BRACKET
1	1	1		** D3007-1	STRUT
1	1	1		** D3015-3	LOCKNUT
1	1	1		** AN4-10A	BOLT
1	1	1		** AN960JD416	WASHER
1	1	1		** MS21042L4	NUT (OR MS21042-4)
1	1	1		** SL69-BS	BALL STUD
1	1	1		** AN960JD516	WASHER
19	19	19		AN4-5A	BOLT
1	1	1		AN4-6A	BOLT
2	2	2		AN526C632R7	SCREW
21	21	21		AN960JD416	WASHER
2	2	2		AN960JD6	WASHER
2	2	2		MS21042L06	NUT (OR MS21042-06)
20	20	20		MS21042L4	NUT (OR MS21042-4)
4	4	4		D2230-1	CLAMP
4	4	4		D2230-3	CLAMP
1	1	1		D2258-160	LABEL
1	1	1		D2324-1	STRUT ASSEMBLY
2	2	2		D2523	MOUNTING BRACKET
2	2	2		D2524	SIDE PLATE
4	4	4		D2856-400-720	ABRASION STRIP
1	1	1		D3495-1	PLACARD
4	4	4		AN3-7A	BOLT
8	8	8		AN3-15A	BOLT
1	1	1		AN4-12A	BOLT
8	8	8		AN4-13A	BOLT
4	4	4		AN4-16A	BOLT
24	24	24		AN960JD10	WASHER
26	26	26		AN960JD416	WASHER
12	12	12		MS21042L3	NUT (OR MS21042-3)
13	13	13		MS21042L4	NUT (OR MS21042-4)
			1	BLRS-010	QUICK RELEASE PIN (1" GRIP)
			3	BLRS-020	QUICK RELEASE PIN (1.5" GRIP)

* INCLUDED IN D2694 OR D3322-041/-042 POD ASSEMBLIES LISTED ABOVE

** INCLUDED IN D3007-041 PROP ASSEMBLY LISTED ABOVE

• COPYRIGHT © 1993 BY DART AEROSPACE LTD. •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: E
Date: 06.01.23